### 3ANNISTER - PAC Tables – Version 1 Acrylic

| <br>MODEL<br>NUMBER                                   | PRODUCT   | W                 | D                 | Н                 | WEIGHT                           | VOLUME                           | LIST<br>PRICE                    | DESCRIPTION   |
|---|---|-------------------|-------------------|-------------------|----------------------------------|----------------------------------|----------------------------------|---|
| BA-PAC-1-V1A-29<br>BA-PAC-1-V1A-32<br>BA-PAC-1-V1A-39 | 1 Person PAC Table, V1 Acrylic:<br>Sitting Height<br>Wheelchair Accessible<br>Standing Height | 36"<br>36"<br>36" | 36"<br>36"<br>36" | 37"<br>40"<br>47" | 130 Lbs.<br>130 Lbs.<br>135 Lbs. | 12 Cu Ft<br>12 Cu Ft<br>12 Cu Ft | \$ 6,126<br>\$ 6,234<br>\$ 6,522 | WORK SURFACE:<br>Tops are constructed of $1^{1}/4^{*}$ thick 3-ply particleboard core.<br>Top surface is laminated with a .050° thick high pressure<br>plastic laminate sheet and bottom surface laminated with<br>a backing sheet not less than .020° thick for balanced<br>construction. Surrounding edges will be $1^{1}/4^{*}$ thick x $2^{1}/4^{*}$<br>wide solid external hardwood knife profile with $1/2^{*}$ rounded<br>point and shall be mittered and radiused at corners.   |
| BA-PAC-2-V1A-29<br>BA-PAC-2-V1A-32<br>BA-PAC-2-V1A-39 | 2 Person PAC Table, V1 Acrylic:<br>Sitting Height<br>Wheelchair Accessible<br>Standing Height | 72"<br>72"<br>72" | 36"<br>36"<br>36" | 37"<br>40"<br>47" | 200 Lbs.<br>200 Lbs.<br>205 Lbs. | 23 Cu Ft<br>23 Cu Ft<br>23 Cu Ft | \$ 7,051<br>\$ 7,168<br>\$ 7,478 | SUPERSTRUCTURE:<br>Side panels constructed of $3/4^{*}$ thick x 8" high solid hardwood<br>and back panels constructed of $3/4^{*}$ x $73/4^{*}$ high veneer<br>plywood core, top edge banded with $1/4^{*}$ external hardwood.<br>END PANELS:<br>Panel frame construction consists of two $1^{1}/2^{*}$ thick x $2^{5}/8^{*}$<br>wide solid hardwood sides, $1^{1}/2^{*}$ thick x $3^{1}/2^{*}$ top member<br>and a $1^{1}/2^{*}$ thick x 5" wide bottom with a $2^{1}/2^{*}$ arched center.<br>Center frame will be fitted with one horizontal and two vertical<br>$1^{1}/2^{*}$ thick x 2" wide stile members, creating a rectangle and |
| BA-PAC-3-V1A-29<br>BA-PAC-3-V1A-32<br>BA-PAC-3-V1A-39 | 3 Person PAC Table, V1 Acrylic:<br>Sitting Height<br>Wheelchair Accessible<br>Standing Height | 90"<br>90"<br>90" | 36"<br>36"<br>36" | 37"<br>40"<br>47" | 250 Lbs.<br>250 Lbs.<br>260 Lbs. | 28 Cu Ft<br>28 Cu Ft<br>28 Cu Ft | \$ 7,758<br>\$ 7,867<br>\$ 8,194 | <ul> <li>Figure 1 and a black metal j-channel for wire management.</li> </ul>   |

#### BANNISTER - PAC TABLES - VERSION 1 MOLDING

| <br>MODEL<br>NUMBER                                   | PRODUCT   | W                 | D                 | Н                 | WEIGHT                           | VOLUME                           | LIST<br>PRICE                    | DESCRIPTION  |
|---|---|-------------------|-------------------|-------------------|----------------------------------|----------------------------------|----------------------------------|--|
| BA-PAC-1-V1M-29<br>BA-PAC-1-V1M-32<br>BA-PAC-1-V1M-39 | 1 Person PAC Table, V1 Molding:<br>Sitting Height<br>Wheelchair Accessible<br>Standing Height | 36"<br>36"<br>36" | 36"<br>36"<br>36" | 37"<br>40"<br>47" | 130 Lbs.<br>130 Lbs.<br>135 Lbs. | 12 Cu Ft<br>12 Cu Ft<br>12 Cu Ft | \$ 6,747<br>\$ 6,864<br>\$ 7,159 | <b>WORK SURFACE:</b><br>Tops are constructed of $1^{1}/4^{"}$ thick 3-ply particleboard core.<br>Top surface is laminated with a .050" thick high pressure<br>plastic laminate sheet and bottom surface laminated with<br>a backing sheet not less than .020" thick for balanced<br>construction. Surrounding edges will be $1^{1}/4^{"}$ thick x $2^{1}/4^{"}$<br>wide solid external hardwood knife profile with $1/2^{"}$ rounded<br>point and shall be mitered and radiused at corners.  |
| BA-PAC-2-V1M-29<br>BA-PAC-2-V1M-32<br>BA-PAC-2-V1M-39 | 2 Person PAC Table, V1 Molding:<br>Sitting Height<br>Wheelchair Accessible<br>Standing Height | 72"<br>72"<br>72" | 36"<br>36"<br>36" | 37"<br>40"<br>47" | 200 Lbs.<br>200 Lbs.<br>205 Lbs. | 23 Cu Ft<br>23 Cu Ft<br>23 Cu Ft | \$ 7,673<br>\$ 7,790<br>\$ 8,122 | <b>SUPERSTRUCTURE:</b><br>Side panels constructed of ${}^{3}/{}^{*}$ thick x 8" high solid hardwood<br>and back panels constructed of ${}^{3}/{}^{*}$ x ${}^{3}/{}^{*}$ high veneer<br>plywood core, top edge banded with ${}^{1}/{}^{*}$ external hardwood.<br><b>END PANELS:</b><br>Panel frame construction consists of a ${}^{1}/{}^{16}$ thick 3-ply<br>particleboard core with plain sliced veneer both faces, two<br>${}^{1}/{}^{*}$ thick x ${}^{25}/{}^{*}$ wide solid hardwood sides, ${}^{1}/{}^{2}$ thick x<br>${}^{3}/{}^{*}$ top member and a ${}^{1}/{}^{*}$ thick x 5" wide bottom with<br>a ${}^{2}/{}^{*}$ arched center. Center frame will be fitted with one |
| BA-PAC-3-V1M-29<br>BA-PAC-3-V1M-32<br>BA-PAC-3-V1M-39 | 3 Person PAC Table, V1 Molding:<br>Sitting Height<br>Wheelchair Accessible<br>Standing Height | 90"<br>90"<br>90" | 36"<br>36"<br>36" | 37"<br>40"<br>47" | 250 Lbs.<br>250 Lbs.<br>260 Lbs. | 28 Cu Ft<br>28 Cu Ft<br>28 Cu Ft | \$ 8,372<br>\$ 8,496<br>\$ 8,838 | horizontal and two vertical <sup>1</sup> /2" thick x 2" wide stile members,<br>creating a rectangle and square motif design. All spaces are<br>then miter framed with <sup>7</sup> /16" thick x <sup>3</sup> /4" wide angled solid<br>hardwood trim creating a raised frame effect. All edges of<br>panel frame and trim are eased.<br>ELECTRICAL ACCESSORIES:<br>Each seating position shall receive a 3" diameter black plastic  |

Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.

CLASSIC

## BANNISTER - READING TABLES

| <br>MODEL<br>NUMBER | PRODUCT              | W        | D   | Н   | WEIGHT   | VOLUME  | LIST<br>PRICE | DESCRIPTION  |
|---------------------|----------------------|----------|-----|-----|----------|---------|---------------|--|
| BA-R36              | Round Reading Table  | 36" Dia. |     | 29" | 70 Lbs.  | 4 Cu Ft | \$ 3,157      | WORK SURFACE:<br>Tops are constructed of 1 <sup>1</sup> /4" thick 3-ply particleboard core.  |
| BA-R42              |                      | 42" Dia. |     | 29" | 90 Lbs.  | 5 Cu Ft | \$ 3,490      | Top surface is laminated with a .050" thick high pressure  |
| BA-R48              |                      | 48" Dia. |     | 29" | 100 Lbs. | 6 Cu Ft | \$ 3,700      | plastic laminate sheet and bottom surface laminated with<br>a backing sheet not less than .020" thick for balanced<br>construction. Surrounding edges will be 1 <sup>1</sup> /4" thick x 2 <sup>1</sup> /4"<br>wide solid external hardwood knife profile with <sup>1</sup> /2" rounded<br>point and shall be mitered and radiused at corners. |
| BA-3636             | Square Reading Table | 36"      | 36" | 29" | 70 Lbs.  | 4 Cu Ft | \$ 3,575      | APRON:   |
| BA-4242             |                      | 42"      | 42" | 29" | 90 Lbs.  | 6 Cu Ft | \$ 3,965      | Apron rails for circular and square tables are <sup>3</sup> /4" thick x 3 <sup>3</sup> /8"<br>wide solid hardwood and mechanically fasted between legs.  |
| BA-4848             |                      | 48"      | 48" | 29" | 100 Lbs. | 6 Cu Ft | \$ 4,143      | WORK SURFACE HEIGHT:<br>Table heights of 25" (children), 27" (youth), and 32"  |

Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.

CLASSIC

#### $\mathsf{BANNISTER}$ - Reading/Computer Table, Version One

|   | MODEL<br>NUMBER | PRODUCT                 | W   | D   | Н   | WEIGHT   | VOLUME   | LIST<br>PRICE | DESCRIPTION   |
|---|-----------------|-------------------------|-----|-----|-----|----------|----------|---------------|---|
|   | BA-V1A-6036     | Rectangle Reading Table | 60" | 36" | 29" | 175 Lbs. | 9 Cu Ft  | \$ 6.461      | WORK SURFACE:   |
|   | BA-V1A-6042     | Version 1A – Acrylic    | 60" | 42" | 29" | 160 Lbs. | 7 Cu Ft  | \$ 6,723      | Tops are constructed of $1^{1}/4^{"}$ thick 3-ply particleboard core.   |
|   | BA-V1A-6048     | 5                       | 60" | 48" | 29" | 230 Lbs. | 9 Cu Ft  | \$ 6,989      | Top surface is laminated with a .050" thick high pressure<br>plastic laminate sheet and bottom surface laminated with   |
|   | BA-V1A-7236     |                         | 72" | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 6,732      | a backing sheet not less than .020" thick for balanced  |
|   | BA-V1A-7242     |                         | 72" | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 7,003      | construction. Surrounding edges will be 11/4" thick x 21/4"   |
| E | BA-V1A-7248     |                         | 72" | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 7,284      | wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.  |
| E | BA-V1A-8436     |                         | 84" | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 7,003      |   |
| E | BA-V1A-8442     |                         | 84" | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 7,292      | END PANELS:   |
| E | BA-V1A-8448     |                         | 84" | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 7,573      | Version 1A: Panel frame construction consists of two $1^{1/2^{"}}$<br>thick x $2^{5/8^{"}}$ wide solid hardwood sides, $1^{1/2^{"}}$ thick x $3^{1/2^{"}}$  |
| E | BA-V1A-9636     |                         | 96" | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 7,276      | top member and a $1^{1}/2^{"}$ thick x 5" wide bottom with a $2^{1}/2^{"}$  |
| E | BA-V1A-9642     |                         | 96" | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 7,573      | arched center. Center frame will be fitted with one horizonta   |
| E | BA-V1A-9648     |                         | 96" | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 7,867      | and three vertical 1 <sup>1</sup> /2" thick x 2" wide stile members, creating<br>a rectangle and square motif design. All spaces are then fitter<br>with <sup>3</sup> /8" thick frosted acrylic inserts. All edges of panel frame |
|   | BA-V1M-6036     | Rectangle Reading Table | 60" | 36" | 29" | 175 Lbs. | 9 Cu Ft  | \$ 6,747      | are eased.  |
|   | BA-V1M-6042     | Version 1M – Molding    | 60" | 42" | 29" | 160 Lbs. | 7 Cu Ft  | \$ 7,028      | Version 1M: Panel frame construction consists of a 1 <sup>1</sup> /16" thic   |
|   | BA-V1M-6048     | _                       | 60" | 48" | 29" | 230 Lbs. | 9 Cu Ft  | \$ 7,750      | 3-ply particleboard core with plain sliced veneer both faces, two $1^{1}/2^{"}$ thick x $2^{5}/8^{"}$ wide solid hardwood sides, $1^{1}/2^{"}$ thick  |
|   | BA-V1M-7236     |                         | 72" | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 7,020      | x $3^{1}/z^{2}$ top member and a $1^{1}/z^{2}$ thick x 5" wide bottom with  |
|   | BA-V1M-7242     |                         | 72" | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 7,314      | a 2 <sup>1</sup> /2" arched center. Center frame will be fitted with one  |
| E | BA-V1M-7248     |                         | 72" | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 8,045      | horizontal and three vertical <sup>1</sup> /2" thick x 2" wide stile member<br>creating a rectangle and square motif design. All spaces are   |
| E | BA-V1M-8436     |                         | 84" | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 7,292      | then miter framed with $7/16$ " thick x $3/4$ " wide angled solid   |
| E | BA-V1M-8442     |                         | 84" | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 7,593      | hardwood trim creating a raised frame effect. All edges of  |
| E | BA-V1M-8448     |                         | 84" | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 8,333      | panel frame and trim are eased.<br>Version 1S: Panel frame construction consists of a 1 <sup>1</sup> /16" thicl   |
| E | BA-V1M-9636     |                         | 96" | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 7,562      | 3-ply particleboard core with plain sliced veneer both faces,   |
| E | BA-V1M-9642     |                         | 96" | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 7,874      | two 11/2" thick x 25/8" wide solid hardwood sides, 11/2" thick  |
| Ε | BA-V1M-9648     |                         | 96" | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 8,628      | x $3^{1}/2^{"}$ top member and a $1^{1}/2^{"}$ thick x 5" wide bottom with<br>a $2^{1}/2^{"}$ arched center. Center frame will be fitted with one<br>horizontal and three vertical $1/2^{"}$ thick x 2" wide stile member         |

creating a rectangle and square motif design. All edges of

panel frame are eased.